DS-D42B02-N



- Loading capacity up to 1,300,000 pixels, maximum width: 4096 pixels, maximum height: 4096 pixels
- 2x Gigabit Ethernet ports
- 1x HDMI1.4 output port, support up to 1080P@60Hz
- 1x HDMI1.4 input port, support full-screen scaling in synchronous mode


▪ Specification

Model		DS-D42B02-N
Interface	Video & Audio Input	Internal video source，HDMI x 1
	Video & Audio Output	1 × AUDIO OUT，2 x network interface，1 × HDMI OUT
	Network Interface	2
	Control Interface	RJ45 × 1，WiFi AP
Processing Performance	Max. Load Capacity	1300000 pixels
	Frame Frequency	50/60 Hz
	Refresh Rate	60 HZ
	Processing Depth	8 bit
	Grey Level	16 bit
	Display Color	281 trillion
	Brightness Control	0 to 255 adjustable
	Max. Resolution of Bar Display	4096 x 4096 pixels
Power	Max. Consumption	18 W
	Average Consumption	6 W
	Input Voltage	100-240V~
Working Environment	Working Temperature	-20°C to 60°C (-4 °F to 140 °F)
	Working Humidity	0% to 80% RH (non-condensing)
	Storage Temperature	-40 °C to 80 °C (-40 °F to 176 °F)
	Storage Humidity	0% to 80% RH (non-condensing)
General	Product Dimensions (W × H × D)	274.3 mm × 139.0 mm × 40.0 mm (10.80'' x 5.47'' x 1.57'')
	Package Dimensions (W × H × D)	385.0 mm × 280.0 mm × 75.0 mm (15.16'' x 11.02'' x 2.95'')
	Net Weight	1.23 Kg (2.7 lb)
	Gross Weight	1.48 Kg (3.3 lb)
	Packing List	Warranty Card × 1, Quality Certificate × 1, Restrictive Substances Table × 1,WiFi antenna x 1，Power cable x 1

▪ Available Model

DS-D42B02-N

▪Dimension



Distributed by

Headquarters
No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com

© Hikvision Digital Technology Co., Ltd. 2020 | Data subject to change without notice |